Pathologis	et	•		
Specimen	code number			
Sex of patient				
Clinical His	story			
				Comments
_	Terminal hair density	Normal or mild reduction		
		Moderate reduction	0	
		Marked reduction or absent	\bigcirc	
Hair Follicles	Vellus Hair	Absent	0	
Illicles		Normal	0	
		Increased	0	
	Abnormal inner root sheath	Present	0	
	desquamation	Absent	0	
Adn	Erector pili muscle	Named		
Adnexal structures		Normal Decreased		
	Sebaceous glands of	Present	0	
0,	involved follicles	Absent	0	
	<u> </u>			
		Absent	\circ	

							1	T. Control of the Con
								7
		Mild						
	Degree							1
		Madarata						
		Moderate					1	-
		Severe						
		Lymphocytic					⊥ □ -	_
		Neutrophilic					<u> </u>	_
		Histiocytc (gran	iulomatous)				⊥ □ -	_
	Type (Check all that apply)	Plasmacytic					∔ □ -	_
n <u>f</u>		Mast Cells					⊥ □ -	_
am		Eosinophilic					∔ □ -	_
l me		Other, see com	ment				∔ □ -	
Inflammation		Dermal	Papillary dermis				- -	_
_ =			Reticular dermis	т .				
			Follicular phase			Inflamation		4
				Upper Derm	IIS	Lower de	ermis	4
			Anagen	infundib		Suprabulb	- -	4
				isthmus		Bulb	+4 -	4
	Site	Follicular		ļ <u></u>		Subbulb	_ 년	4
				Upper Derm	IIS	Lower de	ermis	4
			Telogen/catagen	infundib		Suprabulb	+4 -	4
				isthmus		Bulb Subbulb	누늗 -	-
						Subbuib	+= -	
		Interfollicular	Interstitial				+# -	-
			Periadnexal Perivasular				+# -	-
			Subcutaneous				+	-
			Subcularieous					
		Absent					П	
	Epidermal	Spongiosis					 	┨
Ęρ		Lichenoid					-	┨
<u> </u>		Vacuolar				-	┨	
<u>ei</u> .		Other					-	┨
Epithelial Changes		Absent					TH -	<u> </u>
ha	Follicular	Spongiosis				 	1	
nge		Lichenoid				 	1	
SS		Vacuolar					T = -	1
		Other					T	1
	1	1						-
			Absent					1
		Upper dermis	Concentric lamellar	fibroplasia				1
			Mucinous fibroplasi					1
	Davifallia, Jan filozofa		Hyalinization					1
!	Darifollicular fibroeie	<u> </u>	•					

ibrous tissue	F CHIUHIUUIAI HIJIUSIS	Mucinous fibri Hyalinization	mellar fibroplasia oplasia		
	Fibrous tract	Absent Fibrovascular			
		Hyalinized Mucinous / elastotic			
Interstitial	Interfollicular mucin	Absent		0	
		Mild			
		Moderate			
		Marked			
	Elastic fiber pattern	Normal Perifollicular Scar			
		Superficial perifollicular wedge Thickened elastic fibers through	ghout the dermis		
		Diffuse scar (involves interfoll Other, see comment	cular dermis)		
mment:					
agnosis:					
agriosis.					*
ceptable	e <u>Svnonvms for diagnosis</u>	(if anv):			
•					